

## PATENT COOPERATION TREATY

## PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY  
(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 67067-72014	<b>FOR FURTHER ACTION</b> See Form PCT/IPEA/416	
International application No. PCT/SE 2003/001030	International filing date (day/month/year) 18.06.2003	Priority date (day/month/year) 19.06.2002
International Patent Classification (IPC) or national classification and IPC H04L 12/56, H04L 12/22, G06F 15/16		
Applicant MARRATECH AB et al		

- This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.
- This REPORT consists of a total of 5 sheets, including this cover sheet.
- This report is also accompanied by ANNEXES, comprising:
  - ☒ (sent to the applicant and to the International Bureau) a total of 9 sheets, as follows:
    - ☐ sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).
    - ☐ sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.
  - ☐ (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)) \_\_\_\_\_, containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).

4. This report contains indications relating to the following items:

- |                                     |              |   |
|-------------------------------------|--------------|---|
| <input checked="" type="checkbox"/> | Box No. I    | Basis of the report   |
| <input type="checkbox"/>            | Box No. II   | Priority  |
| <input type="checkbox"/>            | Box No. III  | Non-establishment of opinion with regard to novelty, inventive step and industrial applicability  |
| <input type="checkbox"/>            | Box No. IV   | Lack of unity of invention  |
| <input checked="" type="checkbox"/> | Box No. V    | Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability, citations and explanations supporting such statement |
| <input checked="" type="checkbox"/> | Box No. VI   | Certain documents cited   |
| <input type="checkbox"/>            | Box No. VII  | Certain defects in the international application  |
| <input type="checkbox"/>            | Box No. VIII | Certain observations on the international application   |

Date of submission of the demand  14.01.2004	Date of completion of this report  21.09.2004
Name and mailing address of the IPEA/SE Patent- och registreringsverket Box 5055 S-102 42 STOCKHOLM Facsimile No. +46 8 667 72 88	Authorized officer  Markus Stålbö/MP Telephone No. +46 8 782 25 00

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE 2003/001030

Box No. I Basis of the report

1. With regard to the language, this report is based on the international application in the language in which it was filed, unless otherwise indicated under this item.

☐

This report is based on a translation from the original language into the following language \_\_\_\_\_, which is the language of a translation furnished for the purposes of:

☐

international search (under Rules 12.3 and 23.1(b))

☐

publication of the international application (under Rule 12.4)

☐

international preliminary examination (under Rules 55.2 and/or 55.3)

2. With regard to the elements of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):

☐

the international application as originally filed/furnished

☒

the description:

pages \_\_\_\_\_

pages\* \_\_\_\_\_

pages\* 1-7

\_\_\_\_\_ as originally filed/furnished  
received by this Authority on \_\_\_\_\_

received by this Authority on 13.08.2004

☒

the claims:

pages \_\_\_\_\_

pages\* \_\_\_\_\_

pages\* \_\_\_\_\_

pages\* 8-9

\_\_\_\_\_ as originally filed/furnished

as amended (together with any statement) under Article 19

received by this Authority on \_\_\_\_\_

received by this Authority on 13.08.2004

☒

the drawings:

pages 1-2

pages\* \_\_\_\_\_

pages\* \_\_\_\_\_

\_\_\_\_\_ as originally filed/furnished

received by this Authority on \_\_\_\_\_

received by this Authority on \_\_\_\_\_

☐

a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.

3. ☐ The amendments have resulted in the cancellation of:

☐

the description, pages \_\_\_\_\_

☐

the claims, Nos. \_\_\_\_\_

☐

the drawings, sheets/figs \_\_\_\_\_

☐

the sequence listing (specify): \_\_\_\_\_

☐

any table(s) related to the sequence listing (specify): \_\_\_\_\_

4.

☐

This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).

☐

the description, pages \_\_\_\_\_

☐

the claims, Nos. \_\_\_\_\_

☐

the drawings, sheets/figs \_\_\_\_\_

☐

the sequence listing (specify): \_\_\_\_\_

☐

any table(s) related to the sequence listing (specify): \_\_\_\_\_

\* If item 4 applies, some or all of those sheets may be marked "superseded."

Box No. V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;  
citations and explanations supporting such statement

## 1. Statement

Novelty (N)	Claims	<u>1-4</u>	YES
	Claims		NO
Inventive step (IS)	Claims	<u>1-4</u>	YES
	Claims		NO
Industrial applicability (IA)	Claims	<u>1-4</u>	YES
	Claims		NO

## 2. Citations and explanations (Rule 70.7)

## Prior-art

In the International Search Report the following documents are cited:

D1 : Al-Shaer E et al, "Application-layer group communication server for extending reliable multicast protocols services"  
D2: Michael Smirnov et al, "Programmable Group Communication Services over IP Multicast"  
D3: US 2002057663 A1  
D4: Brian Neil Levine et al, "Improving Internet Multicast with Routing Labels"  
D5: Kate Jenkins et al, "A Gossip Protocol for Subgroup Multicast"

## Statement of reason

The claimed invention relates to an apparatus and method for conveying private information within an established IP-multicast group where the group involves more than two participants.

The amended claims filed with the letter of 13.08.2004 differ from the claims originally filed in that it is now clarified that the filtering means, associated with the receiving client, filter out data from the extension header.

Documents D1-D6 disclose different methods to convey information to sub-groups within an IP-multicast group, for example by means of filtering out address information from a protocol header in a network server.

.../...

## Supplemental Box

In case the space in any of the preceding boxes is not sufficient.  
Continuation of: V.

However, none of these documents disclose a method of conveying data to a sub-group within a multicast group by filtering out address data in a header in the receiving clients, as defined in present claims 1, 3 and 4. The present claims, where the filtering is done in the receiving clients, present a more secure solution compared to the solution in, for example D1, where an intermediate server performs the filtering.

Further, it is not considered obvious to a person skilled in the art to change the method of any of the above mentioned documents so as to reach a method or apparatus as the one claimed in the present application.

The invention according to amended claims 1-4 is thus novel and is considered to involve an inventive step.

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE 2003/001030

## Box No. VI Certain documents cited

### 1. Certain published documents (Rule 70.10)

Application No. Patent No.	Publication date (day/month/year)	Filing date (day/month/year)	Priority date (valid claim) (day/month/year)
US 6490586 B1	3/12/2002	27/12/1999	27/12/1999

### 2. Non-written disclosures (Rule 70.9)

Kind of non-written disclosure

Date of non-written disclosure  
(day/month/year)

Date of written disclosure  
referring to non-written disclosure  
(day/month/year)

**Apparatus and method for conveying private information within a group communication system**DT01 Rec'd PCT/PC 10/518429  
20 DEC 2004***Technical field of the invention***

5

The present invention relates to an apparatus and method for conveying private information within an established group communication. More in detail, the invention relates to communication between two parties within an established IP-multicast group where the group involves more than two participants.

10

***Background of the invention***

15

Media information can be distributed within a communicating group of users by means of so-called IP-multicast transmission. This multicast transmission technique relies on the principle that the information is transmitted to a multicast group and further copied in the network to participating parties who require a copy of the information.

20

Public information in a network of the above kind is distributed within the group of users by IP-multicast in the form of streamed media. However, there may be a need for distribution of information of particular interest to only a sub-part of participating users, and to distribute private messages exclusively within that sub-part of the participating group. According to prior art technology, in such a case a special communication channel is established between the sub-group members in parallel

25

with the public multicast communication channel. However, network constraints, such as firewalls or other access limiting security arrangements may impede or even preclude transmission of non-multicast communication from reaching the intended recipient. This is a drawback associated with prior art, which limits the deployment of applications for group communication. Today, the trend in society is that measures are taken in the direction of enhanced security, and the security consciousness

30

among users and network administrators has increased. Therefore the need for an arrangement enabling communication, while simultaneously respecting network

constraints and limitations, such as firewalls and other security measures, has become even greater than before.

### ***Summary of the invention***

5

It is therefore an object of the present invention to alleviate the previously mentioned shortcomings of prior art associated with group communication services. This is accomplished by an apparatus and method for distribution of a streamed signal within a group of users in a computer network, the users accessing client terminals for participation in a multicast session, the apparatus comprising,

10

connecting links adapted to connect the client terminals of users and related equipment, such as capturing means, to the multicast session, preferably via the Internet or other interconnecting network,

15

an extension header being added to data packets of the streamed signal, the extension header comprising identification data relating to the intended recipient of a packet,

characterised in that

20

a filtering means associated with the receiving client is adapted to filter out data packets comprising identification data in the extension header identifying the recipient and receiving the streamed signal.

25

Only one copy of the information is transmitted from the sender independently of the amount of receivers. Within a multicast group, as previously described, there may be a need for transmitting private or confidential information exclusively within only a subpart of the group, usually transmission one to one. By means of additional encryption, there is a further possibility of making also strictly confidential information which is distributed accessible to only intended recipients. This could be critical information not to be disclosed to all parties in a business negotiation, keys and solutions to problems during an electronic educational meeting, individual tuition during an electronic meeting being part of distance learning, foreign

30

affairs or political relations, etc.

The present invention, which provides a solution to the mentioned distribution and confidentiality problem is advantageous in many ways. The previous need for establishing a dedicated unicast connection in parallel with the existing multicast connection is no longer necessary. Communication of non-public interest, possibly of private or sensitive nature, may be executed during a public session. The advantage of the invention is hence the ability to reuse the existing communications channel while maintaining the confidentiality if this is desirable.

Due to network constraints it is desirable to send also this information using IP-multicast even though it will reach non-interested receivers. These network constraints include for example firewalls and other corresponding security arrangements where the receiver might only have IP-multicast access or only access to a portal, i.e. a so-called reflector.

### ***Brief description of the drawings***

The features, objects, and further advantages of this invention will become apparent by reading this description in conjunction with the accompanying drawings, in which like reference numerals refer to like elements and in which:

Fig 1 illustrates a schematic overview of the apparatus for distribution of a streamed signal within a group of users according to the present invention.

Fig 2 is a signalling chart representing the content of a header added to distributed data packets according to the present invention.

### ***Detailed description***

The following description is of the best mode presently contemplated for practising the invention. The description is not to be taken in a limiting sense, but is made merely for the purpose of describing the general principles of the invention. The scope of the invention should be ascertained with reference to the issued claims.



According to the present invention, the Internet is used as a means for distribution of streamed media. Use of the Internet is the optimal solution as long as it provides a reliable connection having sufficient transmission rates, without network congestion problems. The invention does not lead to undesired overload within the computer networks with unnecessary amounts of raw data, and the raw data can be compressed to require even less transmission capacity. The amount of data distributed through the network is reduced, since the data stream sent as a copy from one client terminal to other associated client terminals can be compressed, as a result of which the total amount of data transmitted over the network is reduced.

The implementation of the invention is based on addition of a special header to private packets being part of transmitted information in a network. The packets identify the receivers and these packets are filtered on the receiving side of the distribution channel, although every participating member in a communication group actually receives the identifiable data. This is implemented in practice using a special header extension which is available in the Real-time Transport Protocol standard for identifying that header extensions actually exist in the packet.

The invention is not limited to any particular type of data but is applicable for any type of information transmitted, such as for audio, video, chat, etc.

With reference to Fig 1, a schematic overview illustrates the apparatus for distribution of a streamed signal within a group of users in a computer network. A plurality of client terminals 10, 20, 30, 40 connected to a distributing globally connected computer network, such as the Internet via connecting links 12, 22, 32, 42. The connecting lines may be various wired connections, but likely for use already today or at least in a near future are also wireless transmission technologies, such as access technology based on infrared, Bluetooth or wireless-LAN. Connection means used in association with the present invention will be developing with new and emerging access technologies. To each host is coupled image capturing means 16, 26, 36, 46, preferably a so-called web-camera, a digital camera or a digital video camera.

Moreover, audio capturing means 18, 28, 38, 48, in the form of a microphone arrangement is connected to each client terminal as well as filtering means 14, 24, 34, 44.

5 The client terminals themselves arrange the distribution of the data stream to other multicast group members. This is an autonomous function between client terminals as soon as the participants in a group are defined and authorised. There may be arranged a central administration entity, preferably in the form of a portal handling accessibility of users willing to participate in a multicast group of users. Necessary  
10 identification, authentication and authorisation of users to a group is carried out by means of the central administration entity, i.e. the portal interfacing between the entity and users, but a detailed description of those steps clearly goes beyond the scope of this application and is therefore omitted here.

15 With particular reference to Fig 2, parts of the previously mentioned Real-time Transfer Protocol (RTP) is depicted. The protocol comprises a part of the header called the extension bit. When this bit is determined, the normal RTP header is followed by a new RTP header extension having a content of at least 4 bytes of data. This new extension header is placed between the RTP header and the RTP payload,  
20 which contains the actual content to be distributed, such as for example the video stream of a multicast session.

The extension name is set to a common identifier, identifying this extension as a filter destination. In accordance with a preferred embodiment of the invention, the filter  
25 destination header is identified by the bytes numbered 77 and 65. The "length" field is the total length of the header extension including the first 4 bytes. Reference is here made to the RTP specification IETF RFC1889 (request for comments) where the first 4 bytes are defined. "v" which is found far left in Fig 2 defines two bits primarily intended for making changes possible within the header extension. "X"  
30 denotes an unused field in the header. "cmd" is a command that allows alternative use of the header extension. The reason for this possible alternative use is that a stream can only contain one RTP header extension per packet if it is to conform

with the RTP specification. In this case the command cmd is set to 0. "dest number" is the number of destinations in this particular packet, which may be any number relating to the size of the sub-group of intended recipients. "real payload" is the type of data being sent in this packet. The real RTP header contains a payload type field and just as the case of other applications, and it is not intended to be possible to decode the data by leaving out the extension header. This extension header is originally set to the original value of 127. This number denotes, in accordance with the mentioned RTP specification, "unspecified" and then includes the real payload type. This will lead to applications that do not interpret this header extension to dispose of the packet. ID1, ID2, ... are the unique identifiers for the intended destination, i.e. who the intended recipient of this packet is.

Realisation of the addition of an extension header to a data packet can be carried out in accordance with the following embodiment. The sender is sending data to everybody in the group, the group by way of example comprising three users. There users are user1 (id=10), user2 (id=20) and user3 (id=30). For any reason, the sender of data may be interested in sending a data packet to only "user1" and "user3". This is denoted a private audio conversation, or a so-called whisper within the group communication. The new packet is composed with the header extension bit set to 1 and header extension is added after the RTP header as previously described with reference to Fig 2. This extension header will comprise "dest numner" = 2 and "ID1" = 10 and "ID2" = 30. Subsequently a packet is sent to the whole group and is received by all three users (user1, user2 and user3). The second user, i.e. user2 will also receive this packet and decode the extension header but will not find itself in the destinations list and it will therefore dispose of the packet.

However, the other users, i.e. user1 and user3, will decode the extension header, find themselves in the destination list and handle the data according to the payload type defined in the "real payload" type field.

In accordance with the present invention, software is developed in parallel with the apparatus for distribution of signals. The software resides in a memory associated

with said apparatus. The software is designed for instructing the hardware to carry out sequential method steps previously described in this application.

## Claims

1. Apparatus for distribution of a streamed signal within a group of users in a computer network, the users accessing client terminals (10, 20, 30, 40) for participation in a multicast session, the apparatus comprising,

connecting links (12, 22, 32, 42) adapted to connect the client terminals of users and related equipment, such as capturing means (16, 26...; 18, 28...), to the multicast session, preferably via the Internet or other interconnecting network,

an extension header being added to data packets of the streamed signal, the extension header comprising identification data relating to the intended recipient of a packet,

**characterised in that**

a filtering means (14, 24, 34, 44) associated with the receiving client is adapted to filter out data packets comprising identification data in the extension header identifying the recipient and receiving the streamed signal.

2. Apparatus for distribution of a streamed signal according to claim 1, **characterised in that**

the transmitted signal is encoded by the sending client terminal and decoded by the intended recipient only at the receiving client terminal by means of a separately provided decryption key.

3. Method for distributing a streamed signal via the Internet or other interconnecting network within a group of users in a computer network, the users accessing client terminals (10, 20, 30, 40) for participation in a multicast session, the method comprising the steps of,

adding an extension header to data packets of the streamed signal, the extension header identifying the intended recipient of a packet,

**characterised by**

filtering out data packets comprising identification data in the extension header identifying the recipient and allowing them to pass through a filtering

means (14, 24, 34, 44), which is associated with the receiving client.

- 5 4. Computer program product for distributing a streamed signal within a group of users in a computer network, the computer program product being integrated and transmissible between comprised units according to claims 1-2, and the computer program product being adapted for carrying out the method steps of claim 3.